

水温

※水温の単位は【℃】である

採水日	地点									
	B-6	B-7	B-9	B-11	No.6	No.7	B-3	B-No.2	西街区北側	西街区南側
2026/1/13	15.5	16.4	14.8	15.4	16.9	16.4	-	-	-	-
2025/12/8	15.5	17.0	15.8	16.5	16.2	16.0	-	-	-	-
2025/11/10	16.9	18.0	17.1	17.5	15.9	15.8	-	-	-	-
2025/10/14	17.0	17.4	17.5	17.8	15.8	15.7	-	-	-	-
2025/9/8	17.9	18.5	17.6	18.5	15.8	15.6	-	-	-	-
2025/8/4	17.7	18.3	17.6	18.2	15.7	15.7	-	-	-	-
2025/7/14	17.4	19.1	17.5	18.0	15.8	15.8	-	-	-	-
2025/6/9	16.9	18.3	17.1	17.6	16.3	16.1	-	-	-	-
2025/5/12	16.7	17.7	16.7	17.2	16.6	16.3	-	-	-	-
2025/4/21	15.9	17.5	16.4	17.5	16.6	16.2	-	-	-	-
2025/3/10	14.5	15.1	14.8	15.0	16.3	16.1	-	-	-	-
2025/2/10	14.1	14.8	14.5	13.5	16.3	16.1	-	-	-	-
2025/1/14	14.7	15.7	15.0	14.2	16.2	16.1	-	-	-	-
2024/12/9	15.5	16.5	15.2	16.0	16.3	16.2	-	-	-	-
2024/11/11	16.5	17.0	16.9	17.1	16.0	16.1	-	-	-	-
2024/10/15	16.7	17.9	16.8	17.7	16.0	16.1	-	-	-	-
2024/9/17	17.1	17.7	16.9	18.5	16.3	16.2	-	-	-	-
2024/8/19	17.6	18.0	17.0	18.6	16.1	16.1	-	-	-	-
2024/7/16	18.0	17.6	17.3	17.9	16.2	16.2	-	-	-	-
2024/6/17	17.9	17.8	17.5	18.2	16.1	16.3	-	-	-	-
2024/5/27	16.8	17.6	16.9	17.5	16.8	18.2	-	-	-	-
2024/4/15	17.3	18.8	17.6	18.2	17.5	19.0	-	-	-	-
2024/3/11	15.0	17.0	15.3	16.8	16.5	18.0	18.0	16.2	-	-
2024/2/13	14.8	16.5	15.5	17.0	17.5	18.0	18.5	16.9	-	-
2024/1/9	14.9	15.8	15.5	16.5	16.2	16.6	18.4	16.5	-	-
2023/12/11	15.5	16.2	16.2	17.0	16.7	17.0	19.0	16.8	-	-
2023/11/13	15.8	16.5	15.5	16.9	16.6	17.5	18.8	16.9	-	-
2023/10/10	17.5	18.1	17.0	17.5	17.9	19.0	19.0	18.0	-	-
2023/9/11	18.1	19.3	17.7	19.6	18.9	19.1	19.2	19.1	-	-
2023/8/7	17.9	18.6	18.1	18.3	19.0	19.6	19.8	18.9	-	-
2023/7/10	18.0	18.7	18.5	18.6	18.5	19.7	21.4	18.5	-	-
2023/6/16	19.0	18.8	18.9	18.5	18.5	19.8	20.0	18.8	-	-
2023/5/17	17.2	18.0	17.5	18.5	17.8	19.0	19.5	18.0	-	-
2023/4/17	16.8	17.5	16.9	17.9	-	-	19.2	18.4	-	-
2023/3/14	15.5	-	15.4	17.1	-	-	18.0	17.0	16.0	15.8
2023/2/13	15.8	-	15.8	16.2	-	-	16.8	17.5	15.8	16.0
2023/1/10	14.8	-	15.8	16.2	-	-	16.9	15.8	15.7	15.8
2022/12/12	15.2	-	15.3	15.9	-	-	17.1	16.1	15.6	15.8
2022/11/14	16.5	-	16.2	17.2	-	-	17.7	17.2	16.4	16.3
2022/10/11	16.8	-	16.8	18.1	-	-	18.6	17.9	17.1	17.0
2022/9/12	17.9	-	18.5	19.5	-	-	21.9	19.5	18.2	17.9
2022/8/8	22.3	-	19.6	19.4	-	-	23.5	20.0	19.2	22.2
2022/7/11	18.0	-	17.9	19.5	-	-	21.0	18.9	18.6	17.9
2022/6/13	17.7	-	17.3	18.2	-	-	20.5	18.9	17.1	17.1
2022/5/10	15.7	-	15.6	17.5	-	-	18.5	17.7	15.8	15.7

採水日	地点									
	B-6	B-7	B-9	B-11	No.6	No.7	B-3	B-No.2	西街区北側	西街区南側
2022/4/18	15.1	-	15.2	16.2	-	-	17.4	17.1	15.2	15.4
2022/3/14	15.5	-	15.6	17.2	-	-	18.3	17.2	15.9	16.0
2022/2/14	14.2	-	14.3	14.3	-	-	14.9	13.9	14.0	13.8
2022/1/11	13.9	-	14.3	14.6	-	-	15.6	14.6	13.7	14.3
2021/12/13	14.9	-	15.2	15.3	-	-	17.0	15.8	15.4	15.0
2021/11/8	16.6	-	16.4	17.9	-	-	17.6	16.4	16.5	16.7
2021/10/11	16.5	-	16.5	17.6	-	-	17.1	17.4	17.2	16.9
2021/9/13	16.7	-	16.9	17.3	-	-	19.2	17.1	17.0	16.9
2021/8/10	16.9	-	17.2	17.8	-	-	19.1	17.3	18.1	17.9
2021/7/12	17.5	-	16.8	17.4	-	-	19.4	17.7	18.0	17.5
2021/6/14	16.0	-	16.1	16.7	-	-	18.8	17.4	17.0	17.1
2021/5/10	15.8	-	16.3	17.0	-	-	19.3	18.1	16.3	16.6
2021/4/19	15.1	-	15.5	16.9	-	-	19.0	17.2	15.6	15.8
2021/3/8	14.6	-	14.4	15.2	-	-	16.8	16.1	14.2	13.8
2021/2/8	14.5	-	14.8	16.1	-	-	17.3	15.8	14.2	13.9
2021/1/12	13.9	-	14.6	14.0	-	-	15.9	15.7	12.0	12.4
2020/12/14	15.1	-	14.9	15.9	-	-	16.9	15.6	15.4	15.4
2020/11/9	15.7	-	15.9	17.0	-	-	17.2	16.1	15.7	15.9
2020/10/12	17.1	-	16.9	18.6	-	-	18.7	17.1	17.6	17.2
2020/9/14	17.6	-	19.0	19.7	-	-	18.3	18.0	19.3	19.3
2020/8/3	17.2	-	17.4	18.2	-	-	18.6	18.3	19.3	18.6
2020/7/13	16.7	-	16.7	17.5	-	-	19.1	19.1	16.9	18.1
2020/6/8	16.7	-	15.2	16.2	-	-	19.7	17.5	18.1	17.0
2020/5/12	16.4	-	17.3	17.2	-	-	19.6	17.3	17.2	16.5
2020/4/20	15.2	-	15.1	16.0	-	-	17.7	16.6	15.5	15.4
2020/3/16	15.1	-	15.4	16.5	-	-	17.6	16.4	15.6	15.5
2020/2/17	15.3	-	15.3	16.4	-	-	17.5	16.1	15.6	15.5
2020/1/14	15.0	-	14.7	16.1	-	-	16.7	15.1	15.6	15.6
2019/12/9	15.5	-	15.3	16.3	-	-	17.2	14.9(注2)	15.7	15.6
2019/11/11	15.8	-	15.9	17.1	-	-	18.3	16.6	15.7	15.6
2019/10/15	16.2	-	16.1	16.7	-	-	19.3	17.6	15.6	15.5
2019/9/17	17.0	-	16.9	20.8	-	-	20.8	18.1	15.5	15.5
2019/8/5	17.3	-	16.9	19.6	-	-	21.6	19.2	15.4	15.4
2019/7/8	17.2	-	17.0	17.9	-	-	20.4	19.3	15.3	15.3
2019/6/10	17.2	-	15.9	17.9	-	-	20.7	19.5	15.3	15.3
2019/5/13	16.6	-	16.6	19.0	-	-	19.7	19.5	15.4	15.4
2019/4/15	15.8	-	16.0	18.6	-	-	19.5	18.6	15.4	15.4
2019/3/11	15.3	-	15.7	17.1	-	-	18.2	17.5	15.5	15.5
2019/2/12	14.4	-	14.8	15.8	-	-	17.1	16.8	15.3	15.6
2019/1/15	14.4	-	14.6	14.2	-	-	16.4	12.7	15.4	15.7
2018/12/10	14.7	-	15.9	15.4	-	-	16.7	15.7	15.5	15.8
2018/11/12	16.2	-	16.2	17.3	-	-	17.8	16.8	15.5	15.8
2018/10/9	16.5	-	17.1	18.0	-	-	18.5	17.1	15.5	15.7
2018/9/10	17.3	-	18.2	17.2	-	-	19.1	18.1	15.4	15.6
2018/8/6	17.4	-	18.2	17.5	-	-	19.0	18.2	15.3	15.4
2018/7/9	18.9	-	16.8	17.6	-	-	19.6	17.7	15.2	15.3

採水日	地点									
	B-6	B-7	B-9	B-11	No.6	No.7	B-3	B-No.2	西街区北側	西街区南側
2018/6/11	16.6	-	16.6	17.0	-	-	18.8	17.4	15.2	15.3
2018/5/14	16.6	-	16.2	18.1	-	-	20.3	18.3	15.5	(注1) -
2018/4/16	15.8	-	15.9	17.8	-	-	19.9	18.9	15.5	15.5
2018/3/12	14.7	-	15.4	17.4	-	-	17.3	18.5	15.6	15.6
2018/2/13	13.3	-	14.7	15.7	-	-	18.7	16.9	15.6	15.6
2018/1/23	14.7	-	14.2	15.8	-	-	17.8	16.4	15.7	15.6
2017/12/11	14.6	-	15.3	16.4	-	-	18.6	15.7	15.7	15.7
2017/11/13	15.7	-	15.8	17.2	-	-	20.0	17.2	-	-
2017/10/10	18.5	-	18.5	22.0	-	-	22.0	-	-	-
2017/9/11	17.2	-	16.9	17.8	-	-	21.5	-	-	-
2017/8/7	18.9	-	19.9	18.4	-	-	21.5	-	-	-
2017/7/10	18.0	-	17.0	19.0	-	-	22.0	-	-	-

※「西街区北側・南側」の調査は2023年3月で終了しました。

※「西街区北側・南側」は、2017年12月～2020年11月は東急株式会社、2020年12月以降は三島市が調査を実施していました。

※「No.6・No.7」は、2023年5月～2024年3月は再開発組合、2024年4月以降は事業関係者が調査を実施しています。

※「B-3」「B-No.2」の調査は2024年3月で終了しました。

(注1)「西街区南側」の2018年5月14日の値について、調査機器の故障により欠測となっています。

(注2)「西街区北側」の2019年12月の値について、調査機器故障のため12月2日の値を記載しています。